

SHOOTING RANGE

EXPLOSION PROOF / DUST IGNITION PROOF VACUUM CLEANER SYSTEMS
ELECTRICALLY OPERATED
MODELS EXP1-20L (DT) RE HEPA (FR-P) & EXP1-40L (4W) RE HEPA (FR-P)



Top: EXP1-40L (4W) RE HEPA (FR-P)
Right: EXP1-20L (DT) RE HEPA (FR-P)



Characteristics:

Explosion	Shooting range compatible	HEPA filter	High efficiency
Stainless Steel	Detachable tank	Toolkit included	Manual Filter Shaker (MFS)

CE 0081 II 2 G/D EEx d IIA T3
IP6X – T200°C
LCIE 03 ATEX 6297

- In accordance with ATEX 100a, Directive 94/9/EC for Category 2 ATEX Zone 1 (Gas) and ATEX Zone 21 (Dust) potentially explosive atmospheres.
- All Stainless Steel construction.
- HEPA Filter efficiency of 99.995% @ 0.3 micron. Tested: IEST RP-CC001.3. H14 by MPPS method as per EN 1822.
- For controlled environments and potentially explosive atmospheres.
- For the recovery of flammable and toxic powders such as unspent gunpowder and lead contaminants.
- Ideal for shooting ranges, military ammunition depots, manufacturer of firearms and pyrotechnic industries.

EXP1-40L (4W) RE HEPA (FR-P)

- For dry recovery only.
- Mounted on a 4 wheel dolly for easy manoeuvrability.
- Wheels are static dissipating and conductive. Two wheels have brakes.
- Equipped with a static dissipating polyliner and a retainer clip to allow for easy and safe disposal of materials.

EXP1-20L (DT) RE HEPA (FR-P)

- Mounted on a 4 wheel cart for easy manoeuvrability.
- Wheels are static dissipating and conductive. Two wheels have brakes.
- Equipped with a static dissipating polyliner and a retainer clip to allow for easy and safe disposal of materials.
- Detachable recovery tank with a capacity of 25 litres for easy emptying of recovered materials.

Tiger-Vac[®]
...The name to vacuum with


Tiger-Vac Europa Srl
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
40064 Ozzano Emilia BO ITALIA
Tel.: 39 051 795352
Fax.: 39 051 4695077
E-mail: info@tiger-vac.it

<http://www.tiger-vac.eu>

Technical Specifications

CE Model	Phase/Volts 50 Hz	Electric current	Electric power	Airflow @ 50mm orifice	Vacuum at sealed orifice	Recovery capacity
EXP1-40L (4W) RE HEPA (FR-P)	1/230	4.5 A	1 kW	58 l/sec	1554 mm H ₂ O	38 ℓ
Dimensions: W46cm X H84cm. 37kg				Noise level: 75 dB(A) at 2m		
EXP1-20L (4W) RE HEPA (FR-P)	1/230	4.5 A	1 kW	58 l/sec	1554 mm H ₂ O	25 ℓ
Dimensions: L61cm X W58cm X H109cm. 35.5kg				Noise level: 75 dB(A) at 2m		

MANUAL FILTER SHAKER SYSTEM (MFS) (EXP1-20L (DT) RE HEPA only)



- The filter shaker system consists of a spring action mechanism operating directly onto the filter cage located inside of the filter chamber. The system is operated by pressing on the ergonomic handle located on the side of the filter chamber.
- The Manual Filter Shaker dislodges the accumulated caked-on dust from the filter thus improving the filter's performance.
- A dralon pre-filter for very fine dust is included with the MFS filtration system.
- The filter, along with the filter cage, can be easily removed from the filter chamber and washed with lukewarm water and mild detergents.
- HEPA Filter 99.995% @ 0.3 micron. Tested: IEST RP-CC001.3. H14 by MPPS method as per EN1822. Or ULPA filter 99.999% @ 0.12 micron. Filtration Efficiency of 99.9995% @ 0.18 micron. Tested: IEST RP-CC001.3. U15 by MPPS method as per EN1822. Installed upstream. Optional.

Included conductive and static dissipating tools and accessories (Ø38mm)



1	381400	Kanaflex suction hose, SD*, Ø38mm x 3m for 38mm camlock inlet.
2	381364A	Wand Assembly with aluminum attachment, 2 pcs, stainless steel
3	381236	Universal Tool Assembly, SD*, 46cm, aluminum with conductive brushes & rubber blades.
4	381372D	Crevice Tool, 28cm, stainless steel
5	381185DA	Dusting Brush, with conductive brush, Ø13cm, aluminum with stainless steel adaptor.
6	383462D	Conical Nozzle with curved tip, 25cm, conductive rubber with stainless steel adaptor.
7	211065	Ground Continuity tester (batteries not included) - Not shown

*SD: Static Dissipative and Conductive

WARNING!

Only tools and accessories provided by Tiger-Vac shall be used with this vacuum cleaner. Any other tools used will render the warranty null and void any may cause an explosion which could result in bodily harm. Tiger-Vac will not assume any responsibility for damage that may occur due to the improper use or handling of the vacuum cleaner system.

For complete details please visit our website at WWW.TIGER-VAC.EU or contact one of our technical representatives. Specifications are subject to change without notice. Images are for illustration purposes only. Tiger-Vac is a registered trademark.